

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

AMENDMENTS TO THE CLAIMS

The following includes the entire set of pending claims with mark-ups.

Please amend Claims 1, 8, 12, 27, and 30.

Please cancel Claim 28.

Please add Claims 32 and 33.

1. (currently amended) A method of treating a pelvic tumor comprising:
inserting a tip of an ablation device into a pelvic region, wherein the ablation device includes ~~a plurality of~~ three or more electrodes deployable from the tip;
deploying the ~~plurality of~~ three or more electrodes within a pelvic tumor to avoid contact with normal tissue outside of the pelvic tumor;
confirming placement of the ~~plurality of~~ three or more electrodes completely within the pelvic tumor with a laparoscope and an imaging device including an intra-abdominal ultrasound probe separate from the ablation device; and
delivering energy through the ~~plurality of~~ three or more electrodes to the pelvic tumor to ablate the tumor.
2. (original) The method of claim 1, wherein inserting the ablation device includes inserting the ablation device into a uterus.
3. (original) The method of claim 2, wherein the ablation device is inserted through an abdomen and into the uterus.
4. (original) The method of claim 2, wherein the ablation device is inserted through a cervix and into the uterus.
5. (canceled)
6. (previously presented) The method of claim 1, wherein the ablation device includes a plurality of deployable arms and further comprising deploying the plurality of arms completely within the pelvic tumor.
7. (original) The method of claim 1, wherein the imaging device is an ultrasound machine.
8. (currently amended) The method of claim 6, further comprising inserting ~~[[an]]~~ the ultrasound probe into an incision proximate a top of a uterus.

LAW OFFICES OF
MACPHERSON KWOK
CHEN & BEID LLP

2402 MICHELSON DR.
SUITE 210
IRVINE, CA 92612
(949) 752-7040
FAX (949) 752-7049

v1.3

-2-

Serial No. 09/920,425

9. (original) The method of claim 1, wherein delivering energy includes delivering RF energy to the pelvic tumor.
10. (original) The method of claim 1, wherein delivering energy includes heating the pelvic tumor to a temperature between approximately 65 °C and approximately 100 °C for at least 7 minutes.
11. (original) The method of claim 10, wherein the pelvic tumor is maintained at the temperature for between approximately 7 and approximately 14 minutes.
12. (currently amended) A method of treating pelvic tumors comprising:
providing a patient on an operating table;
providing at least one monitor for a laparoscope and an imaging device including an intra-abdominal ultrasound probe, the at least one monitor being located across the operating table from a surgeon and proximate the patient's waist;
providing an energy source and the imaging device adjacent to the at least one monitor, the energy source and the imaging device being located proximate the patient's knees;
inserting a tip of an ablation device into a pelvic region of the patient, wherein the ablation device includes ~~a plurality of three or more~~ three or more electrodes deployable from the tip, and further wherein the ablation device is separate from the intra-abdominal ultrasound probe;
deploying the ~~plurality of three or more~~ three or more electrodes within a pelvic tumor to avoid contact with normal tissue outside of the pelvic tumor;
confirming placement of the ~~plurality of three or more~~ three or more electrodes completely within the pelvic tumor with the laparoscope and the imaging device; and
delivering energy through the three or more electrodes to the pelvic tumor to ablate the tumor.
13. (original) The method of claim 12, wherein the patient is in a dorsal position on the operating table.
14. (original) The method of claim 12, wherein inserting the ablation device includes inserting the ablation device through an abdomen and into a uterus.
15. (original) The method of claim 12, wherein inserting the ablation device includes inserting the ablation device through a cervix and into a uterus.

16. (original) The method of claim 14, further comprising repositioning the uterus relative to the ablation device.
17. (original) The method of claim 14, further comprising rotating the ablation device during insertion to reduce movement of the uterus.
18. (canceled)
19. (previously presented) The method of claim 12, wherein the ablation device includes a plurality of deployable arms and further comprising deploying the plurality of arms of the ablation device completely within the pelvic tumor.
20. (original) The method of claim 12, wherein the imaging device is an ultrasound machine.
21. (original) The method of claim 14, further comprising inserting an ultrasound probe into an incision proximate a top of the uterus.
22. (original) The method of claim 12, wherein delivering energy includes delivering RF energy to the pelvic tumor.
23. (original) The method of claim 12, wherein delivering energy includes heating the pelvic tumor to a temperature between approximately 65 °C and approximately 100 °C for at least 7 minutes.
24. (original) The method of claim 12, further comprising removing the ablation device from the pelvic region, including cauterizing a track of the ablation device.
25. (original) The method of claim 11, further comprising:
repositioning the ablation device proximate a second pelvic tumor;
confirming placement of the ablation device; and
delivering energy to the second pelvic tumor to ablate the second tumor.
26. (original) The method of claim 25, wherein the second pelvic tumor is located closer to a vasculature than a first pelvic tumor.
27. (currently amended) A surgical system for ablating pelvic tumors in a patient, the system comprising:

LAW OFFICES OF
MACPHERSON KWOK
CHEN & HEID LLP

2403 MICHELSON DR.
SUITE 210
IRVINE, CA 92612
(949) 752-7040
FAX (949) 752-7019

v1.3

-4-

Serial No. 09/920,425

an ablation device for insertion into a pelvic region of a patient, wherein the ablation device includes a tip and a ~~plurality of~~ three or more electrodes deployable from the tip;

an energy source coupled to the ablation device for providing energy to the ablation device;

a laparoscope for insertion of the ~~plurality of~~ three or more electrodes within a pelvic tumor of the patient to avoid contact with normal tissue outside of the pelvic tumor; and

an intra-abdominal ultrasound ~~device~~ probe separate from the ablation device for observing a location of the ~~plurality of~~ three or more electrodes completely within the pelvic tumor of the patient,

wherein the laparoscope and the intra-abdominal ultrasound device are connected to at least one monitor, the at least one monitor being located along a first side of an operating table, and wherein the energy source and the intra-abdominal ultrasound device are located adjacent the at least one monitor along the first side of the operating table.

28. (canceled)

29. (original) The surgical system of claim 27, wherein the energy source is an RF energy source.

30. (currently amended) A method of treating pelvic tumors comprising:

inserting a tip of an ablation device including a ~~plurality of~~ three or more electrodes deployable from the tip into a single puncture site in a pelvic region, the puncture site being approximately 1 mm to 2 mm in diameter;

deploying the ~~plurality of~~ three or more electrodes within at least one pelvic tumor to avoid contact with normal tissue outside of the at least one pelvic tumor, the at least one pelvic tumor having a diameter of at least 1 cm;

confirming placement of the ~~plurality of~~ three or more electrodes completely within the at least one pelvic tumor with a laparoscope and an imaging device including an intra-abdominal ultrasound probe separate from the ablation device;

delivering RF energy to the ablation device; and

heating the at least one pelvic tumor to a temperature between approximately 85 °C and approximately 100 °C for between approximately 7 and 14 minutes,

wherein from the single puncture site substantially all of the at least one pelvic tumor is ablated.

31. (previously presented) The method of claim 30, wherein the pelvic tumor is a uterine fibroid.
32. (new) The method of Claim 31, further comprising:
repositioning the ablation device proximate a second pelvic tumor from the single puncture site;
confirming placement of the ablation device; and
delivering energy to the second pelvic tumor to ablate the second tumor.
33. (new) A method of treating a uterine fibroid comprising:
manipulating a uterus with an intra-abdominal ultrasound probe to position and stabilize the uterus, wherein the uterus has at least one uterine fibroid;
inserting a tip of an ablation device into the uterus, wherein the ablation device includes at least three electrodes deployable from the tip;
deploying the at least three electrodes within the uterine fibroid to avoid contact with normal tissue outside of the uterine fibroid;
confirming placement of the at least three electrodes completely within the uterine fibroid with a laparoscope and the intra-abdominal ultrasound probe; and
delivering energy through the at least three electrodes to the uterine fibroid to ablate the fibroid.

LAW OFFICES OF
MACPHERSON KWOK
CHEN & HEID LLP

2402 MICHELSON DR.
SUITE 210
IRVINE, CA 92612
(949) 752-7040
FAX (949) 752-7049

v1.3

-6-

Serial No. 09/920,425